

## SAFETY DATA SHEET

### 1. Name of product and company

<b>Product:</b>	TM Gipsavjämning	<b>Company:</b>	TM Progress AB
<b>Use:</b>	Natural gypsum based levelling compound for flooring		Box 395 891 28 Örnköldsvik Sweden
<b>Prepared:</b>	25/05/1999		
<b>Updated:</b>	27/11/2012		
<b>Issued by:</b>	Peter Forsberg		
<b>Telephone no.:</b>	0660 299530		
<b>In an emergency:</b>	020 99 60 00 Kemiakuten (Poison Information Centre)		

### 2. Harmful properties

No harmful properties are related to the product's composition.

### 3. Composition/classification of substances

Name	CAS no.	% weight	class	R-phrases
Calcium sulphate	7778-18-9	20-25 --		--
Ground limestone	1317-65-3	5-20 --		--
Natural sand	--	45-60 --		--

### 4. First aid

#### **Inhalation**

Fresh air, warmth and rest.

#### **Skin contact/powder**

Brush off and wash with soap and water.

#### **Skin contact/wet compound**

Remove wet clothes, wash with soap and water.

#### **Eye contact**

Rinse with water. If eye irritation persists, seek medical assistance.

#### **Consumption**

Give 1-2 glasses of water or, ideally, milk to drink. Contact a doctor if a large quantity has been swallowed.

### 5. Actions in the event of a fire

The product is not flammable.

### 6. Actions in the event of spillage/accidental release

#### **Actions to prevent injury**

Avoid inhalation of dust. Use respiratory protection if dust is formed.

#### **Actions to prevent environmental damage**

Prevent the product being emptied into drains. Collect and recycle/reuse if possible.

#### **Methods for cleaning and prevention of environmental damage**

No special actions are required.

## **7. Handling and storage**

### **Handling**

Avoid dust formation and ensure that good ventilation is provided. Gloves are recommended.

### **Storage**

Keep out of reach of children and in original packaging. Store in a cool, dry place. Protect from moisture.

## **8. Limitation of exposure/personal safety measures**

### **Preventive measures**

Make sure there is good ventilation. Mechanical ventilation and local exhaust ventilation may be required.

### **Respiratory protection**

Use respiratory protection if dust is formed. P2 filters are recommended.

### **Goggles**

Always wear protective goggles.

### **Hand guard**

Wear appropriate protective gloves.

### **Skin protection**

Wear appropriate protective clothing, e.g. overalls, gloves and goggles.

### **Occupational exposure limits**

NGV Inhalable dust: 10 mg/m<sup>3</sup>

NGV Respirable dust: 5 mg/m<sup>3</sup>

## **9. Physical and chemical properties**

<b>Design:</b>	Powder
<b>Colour:</b>	Grey
<b>Odour:</b>	Weak
<b>Bulk density:</b>	1650 kg/m <sup>3</sup>
<b>pH concentrate:</b>	approx. 10

## **10. Stability and reactivity**

### **Stability**

Stable under normal conditions.

### **Reacts with**

Reacts with water and sets.

### **Hazardous conversion products**

None

## **11. Toxicological information**

### **Inhalation**

May be irritating to the respiratory system. Mucous membranes are irritated by high pH.

### **Skin contact**

Repeated/prolonged contact (for up to 4 hours) with wet compound may cause irritation on unprotected skin.

### **Eye contact**

Dust in the eyes or splashes of wet compound may cause irritation and burning.

### **Consumption**

May cause irritation in the mouth and throat. Large quantities may cause stomach or bowel disorders

**12. Ecotoxicological information****Information**

The product has no known ecotoxicological effects.  
No known adverse effects on the environment.

**13. Waste disposal**

Dispose of in accordance with local regulations. Waste code: 10 13 14

**14. Transport information**

The product is classified as non-hazardous.

**15. Applicable regulations**

The product is not classified as hazardous to health or the environment.

**16. Other information**